© 2021 Carhartt, Inc. All Rights Reserved.
CFS250

carhartt

FALL FOOTWEAR

2022

carhartt

TABLE OF CONTENTS

Technology 1
Insite Technology Footbed 3
Women's Gilmore 6
Women's Pellston 7
Women's Force 8
Women's Wedge 9
Women's Boots 11
Ironwood 12
Yukon Pac Boot 16
Ground Force Boots 18
Rugged Flex® Boots 22
Met Guard Boots 26
Puncture-Resistant Boots 28
Heritage Boots 30
Rugged Flex® Square Toe Boots 34
Woodworks Climbing Boots 36
Mudrunner Boots 38
Classic Welt Boots 42
Wedge Boots 46
Outdoor Trail Boots 52
Men's Gilmore 54
Outdoor Boots 56
Lightweight Work Hikers 57
Men's Force 58
POP and Marketing 62
Banner Ads and Email Blast Templates 63

STYLE AND PAGE INDEX

***NEW STYLE FOR FALL 2022**

Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page	Style Number	Page
CMA6026	60	CMF6380	24	CMV1151	41	FA3481-W	8	**FH5520-M**	**56**	**FT8509-M**	**15**
CMA6425	60	CMF6720	27	CMV1451	41	FA3482-W	8	**FH5550-M**	**55**	FW5025-W	10
CMC1259	17	CMF8058	25	CMW6095	49	FA4015-M	60	**FH5556-W**	**6**	FW5033-M	48
CMD3060	61	CMF8389	25	CMW6120	32	FA4415-M	60	**FH6085-W**	**6**	FW5233-M	48
CMD3441	61	CMF8720	27	CMW6174	44	FA5015-M	59	**FH6087-W**	**6**	**FW6023-W**	**10**
CMD3461	61	CMH4251	57	CMW6175	49	FA5016-M	59	**FH6587-W**	**6**	FW6025-W	9
CME1355	21	CMI9000	3	CMW6190	45	FA5041-M	59	**FH8019-W**	**7**	**FW6027-W**	**10**
CME6047	21	CML8360	37	CMW6191	49	FA5415-M	59	**FH8029-W**	**7**	FW6035-M	50
CME6347	21	CML8369	37	CMW6197	45	FA5441-M	59	FP5070-M	53	FW6061-W	9
CME6351	20	CMO3251	57	CMW6220	32	FF5361-W	11	FP5071-M	53	**FW6072-M**	**49**
CME6355	20	CMP1053	45	CMW6274	44	FF6013-M	23	**FP6039-M**	**53**	FW6075-W	9
CME8047	21	CMP1100	32	CMW6275	49	FF6213-M	23	**FP6049-M**	**53**	FW6076-M	50
CME8347	21	CMP1200	32	CMW6295	49	FH3021-M	56	**FT1000-M**	**15**	FW6077-M	50
CME8355	20	CMP1218	35	CMW8200	32	FH3521-M	56	**FT1500-M**	**15**	FW6225-W	9
CMF1391	25	CMP1258	35	CMX4023	51	**FH5020-M**	**56**	**FT1509-M**	**15**	**FW8093-M**	**48**
CMF1721	27	CMP1259	33	CWF5355	11	**FH5031-M**	**56**	**FT6000-M**	**14**	FW8095-M	48
CMF6056	25	CMP1270	33	CWP1150	11	FH5036-M	56	**FT6001-M**	**14**	FW8275-M	48
CMF6066	24	CMP1453	45	CWP1151	11	**FH5050-M**	**55**	**FT6500-M**	**14**		
CMF6284	23	CMR6971	29	CWP1250	11	**FH5051-M**	**55**	**FT6501-M**	**14**		
CMF6356	25	CMR8939	29	FA3081-W	8	**FH5052-M**	**55**	**FT8000-M**	**14**		
CMF6366	24	CMR8959	29	FA3082-W	8	**FH5056-W**	**6**	**FT8002-M**	**14**		
CMF6371	24	CMV1121	41	FA3471-M	61	**FH5057-W**	**6**	**FT8500-M**	**14**		

RETURNS AND WARRANTY INFORMATION

CARHARTT FOOTWEAR WARRANTY

- Boots and Shoes have a one year limited warranty in normal use, against any defects in materials, manufacturing and workmanship. The Black Diamond warranty does not cover damage due to holes worn in toes, burn marks, punctures, cuts and abrasions from outside causes, misuse and/or abuse by the wearer.
- The warranty may also be void if the user applies any materials not recommended for footwear, such as polishes, creams, oils or other chemicals that result in damage to the materials of the footwear.

DEALERSHIP RETURN GOODS POLICY

- Black Diamond Return Goods Department shall have the final decision as to the cause of damage and the replacement judgment.
- Black Diamond requires a customer's receipt as proof of purchase when sending footwear back for inspection.
- We expect our retailers to handle and accept returns in a businesslike and professional manner. Please have the consumer clean the footwear before returning them to Black Diamond for inspection.

WE DO NOT ACCEPT FOOTWEAR DIRECTLY FROM THE CONSUMER.

- We reserve the right to repair or replace at our discretion. No goods may be returned without prior authorization.
- Call 855-277-8944 for a Return Authorization Number.
- Please refer to The Black Diamond credit application for all other terms and conditions.

THE CARHARTT DIFFERENCE

Since 1889, Carhartt has manufactured premium workwear known for exceptional durability, comfort, and quality that you can feel in the materials and see in the performance. Just as our founder, Hamilton Carhartt, began four generations ago, Carhartt will continue to manufacture the most rugged and durable clothing and footwear for generations to come.

As a choice brand for those who work and play outdoors, Carhartt is proud to serve a variety of workers in many industries including construction and manufacturing along with farmers, ranchers, and outdoor enthusiasts. Your customers will enjoy our footwear and the technologies we use for the performance they want.

Icon	Feature	Performance
	Nano Composite Toe	Identifies protection against impact and compression hazards with a Nano Composite (non-metallic) safety toe. Nano Composite safety toe styles meet ASTM 2413-18 standards.
	Steel Toe	Identifies protection against impact and compression hazards with a steel safety toe. Steel toe styles meet ASTM 2413-18 standards.
	Composite Toe	Identifies protection against impact and compression hazards with a composite (non-metallic) safety toe. Composite toe styles meet ASTM 2413-18 standards.
	Alloy Toe	Alloy safety toe is made from blended metal and aluminum resulting in a thin, lightweight safety toe for strength and comfort all day. Alloy toe styles meet ASTM 2413-18 standards.
	Metatarsal Guard	Identifies protection against impact and compression hazards to the top of the foot with a metatarsal guard. Metatarsal styles meet ASTM 2413-18 standards.
	Electrical Hazard	Identifies secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions. Electrical Hazard styles meet ASTM F2413-18 EH standards for safety toe footwear and ASTM F2892-18 for non-safety toe styles.
	Static Dissipative	Static Dissipative shoes reduce the risk of static shock to people and to the manufactured product in the workplace. Meets the ASTM F2413-18 SD 35 and ASTM F2892-18 SD 35 standards.
	Puncture Resistant & CSA	Identifies protection against puncture hazards to the bottom of the foot with a puncture resistant plate. Puncture Resistant styles meet ASTM 2413-18 standards. CSA Grade 1 toe protection and CSA electrical shock resistance of 18KV under dry conditions.
	Heel Guard	The Carhartt Heel Guard feature is designed to provide ankle stability, side impact protection and heel protection durability.
	Heel Stabilizer	The Carhartt Heel Stabilizer feature is designed to provide ankle stability and heel protection durability.
	Heel Kicker	Heel Kicker utility ledge for easy removal of boots.
	Helcor® Leather	Superior abrasion resistant, easy to clean leather.

COMFORT REDEFINED

KEEPS YOU DRY

Icon	Feature	Performance
	Storm Defender® Waterproof Breathable Protection	These shoes are designed to be completely waterproof and to keep your feet dry in most types of wet conditions. A waterproof and breathable membrane is used to keep your feet dry but promote air flow and circulation.
	Rain Defender®	These shoes are designed to be water repellent to keep your feet dry so you can work in light rain.

KEEPS YOU WARM

Icon	Feature	Performance
	Insulation	These shoes are designed to keep your feet warm in most types of cold conditions. The two types of insulating barriers used in Carhartt Footwear are LiteFire® and 3M™ Thinsulate™. LiteFire® is an aluminum based waterproof and breathable membrane that reflects body heat equivalent to 400, 600, 800 or 1000 grams of traditional insulation without the weight or bulk. 3M™ Thinsulate™ is a microfiber that insulates boots by trapping air molecules between you and the outside. 400 and 600 grams are used for cold conditions or moderate activity levels.
	FastDry® Technology Lining	FastDry® technology lining wicks away sweat for comfort.

KEEPS YOU STANDING

Icon	Feature	Performance
	Vibram	Vibram Arctic Grip is innovative technology specifically engineered and designed to perform on wet ice. It's a unique polymer blend coupled with an advanced filler system, and new processing technique. Paired with Vibram Icetrek, which yields Vibram's best grip on dry ice, Vibram Arctic Grip offers Vibram performance, quality and durability.
	Outsole	Carhartt outsoles provide performance for the intended work and environment.

KEEPS YOU COMFORTABLE

Icon	Feature	Performance
	Insite® Technology Footbed	Carhartt footbed made with Insite® technology is engineered to create maximum arch support to reduce foot fatigue during long days on the job.
	Cushion Comfort Insole	Carhartt insole provides comfortable support and reduces foot fatigue.

CARHARTT FOOTBEDS

END THE DAY AS STRONG AS YOU STARTED

COMFORT REDEFINED

Engineered cushion comfort to make sure you can focus on the job at hand, not your feet. From heat to cold and dry to wet, we have you covered 24/7.

INNOVATIVE MATERIALS

Tetrapod Technology
Unique tetrapod design disperses compression in multiple directions.

Pulsion Energy Rebound Foam With Single Density PU Foam
Engineered compression set with Pulsion rebound foam for maximum cushion comfort in each step.



BUILT WITH INSITE® TECHNOLOGY

Carhartt insoles with Insite® technology uses an ergonomic shape based on 120,000 foot scans for fit, form, and comfort that lasts as long as your day.

Insite Technology Footbeds
CMI9000

SIZES 8, 9, 10, 11, 12, 13, 14, 15



WOMEN'S BOOTS

ENGINEERED FOR EVERYTHING YOU DO

1 → Women's boots built on women's last

2 → Insite® technology footbeds in select styles

3 → Expanded women's selection now offered in 5 categories

FARM AND RANCH

WORK

LIFESTYLE

NEW Women's Gilmore Waterproof 6-Inch Hiker

Tan	Non-Safety Toe	FH6085-W

FEATURES
- Tan nubuck leather with high abrasion resistant 1200D material.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 54
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Reflective laces and heel pull-on tab.
- Ships with second color shoe lace option.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

NEW Women's Gilmore Waterproof 6-Inch Work Hiker

Dark Grey	Alloy Safety Toe Non-Safety Toe	FH6587-W FH6087-W

FEATURES
- Dark Grey nubuck leather with high abrasion resistant 1200D material.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 54
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Reflective laces and heel pull-on tab.
- Ships with second color shoe lace option.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

NEW Women's Gilmore Waterproof 5-Inch Hiker

Grey	Non-Safety Toe	FH5057-W

FEATURES
- Grey nubuck leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 54
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Ships with second color shoe lace option.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

NEW Women's Gilmore Waterproof 5-Inch Work Hiker

Dark Brown	Alloy Safety Toe Non-Safety Toe	FH5556-W FH5056-W

FEATURES
- Dark Brown nubuck leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 54
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Ships with second color shoe lace option.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

NEW Women's Pellston Waterproof Insulated 8-Inch Winter Boot

Dark Grey	Non-Safety Toe	FH8029-W

FEATURES
- Dark Grey nubuck leather with sherpa fleece lining.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 54
- Storm Defender® waterproof breathable membrane with 200g 3M™ Thinsulate™ insulation and full Sherpa fleece lining.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Reflective heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

NEW Women's Pellston Waterproof Insulated 8-Inch Winter Boot

Red Brown	Non-Safety Toe	FH8019-W

FEATURES
- Red brown oil tanned leather with sherpa fleece lining.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 54
- Storm Defender® waterproof breathable membrane with 200g 3M™ Thinsulate™ insulation and full Sherpa fleece lining.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Reflective heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

Women's Force Work Shoe

Black/Amethyst	Nano Composite Toe EH Non-Safety Toe SD	FA3481-W FA3081-W

FEATURES
- Black and amethyst lightweight upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Force outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

Women's Force Work Shoe

Charcoal/Powder Blue	Nano Composite Toe EH Non-Safety Toe SD	FA3482-W FA3082-W

FEATURES
- Charcoal and powder blue lightweight upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Force outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

Women's Waterproof 6-Inch Moc Toe Wedge Boot

Light Brown	Steel Toe Non-Safety Toe	FW6225-W FW6025-W

FEATURES
- Light brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.*
  *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 47
- PU strobel pad with Insite® Technology footbed.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

Women's Waterproof 6-Inch Moc Toe Wedge Boot

Black	Non-Safety Toe	FW6021-W

FEATURES
- Black oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.*
  *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 47
- PU strobel pad with Insite® Technology footbed.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

Women's 6-Inch Moc Toe Wedge Boot

Wheat	Non-Safety Toe	FW6075-W

FEATURES
- Wheat nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.*
  *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 47
- PU strobel pad with PU cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

NEW Women's 6-Inch Moc Toe Wedge Boot

Burgundy	Non-Safety Toe	FW6023-W

FEATURES
- Burgundy nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.*
  *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58
- PU strobel pad with PU cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

NEW Women's 6-Inch Moc Toe Wedge Boot

Dark Grey	Non-Safety Toe	FW6027-W

FEATURES
- Dark grey nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.*
  *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58
- PU strobel pad with PU cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10, 11

Women's 5-Inch Pull-On Chelsea Wedge Boot

Brown	Non-Safety Toe	FW5025-W

FEATURES
- Brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.*
  *OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 58
- PU strobel pad with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 6-10,11

Women's Rugged Flex 6-Inch Work Boot

Brown	Composite Toe	CWF5355

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 23
- EVA custom fit removable inserts.
- PU with foam cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER HEEL · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM/WIDE 6-10, 11 | **MULTI-FIT**

Women's Rugged Flex 6-Inch Work Boot

Black	Composite Toe	FF5361-W

FEATURES
- Black oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.*
  OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 23
- EVA custom fit removable inserts.
- PU with foam cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER HEEL · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM/WIDE 6-10, 11 | **MULTI-FIT**

Women's Waterproof 10-Inch Wellington

Brown	Steel Toe Non-Safety Toe	CWP1250 CWP1150

FEATURES
- Brown oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Goodyear welt construction with Carhartt rubber outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 43
- FastDry® technology wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 6-10, 11

Women's Waterproof 10-Inch Wellington

Black	Non-Safety Toe	CWP1151

FEATURES
- Black oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Goodyear welt construction with Carhartt rubber outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 43
- FastDry® technology wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 6-10, 11

IRONWOOD WORK BOOTS

ICONIC BOOTS FOR TIME-HONORED WORK

1 → Storm Defender® waterproof and insulated styles to keep your feet warm and dry

2 → Heel Kicker utility ledge for easy removal of boots

3 → Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot

RUBBER OUTSOLE

OIL, CHEMICAL AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

DEFINED HEEL

90 DEGREE HEELS ARE PERFECT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE			●
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.

NEW Ironwood Waterproof 6-Inch Work Boot

Brown	Alloy Safety Toe Non-Safety Toe	FT6500-M FT6000-M

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14 | **WIDE** 8-12, 13, 14, 15

NEW Ironwood Waterproof 6-Inch Work Boot

Black	Alloy Safety Toe Non-Safety Toe	FT6501-M FT6001-M

FEATURES
- Black oil tanned leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14 | **WIDE** 8-12, 13, 14, 15

NEW Ironwood Waterproof 8-Inch Work Boot

Brown	Alloy Safety Toe Non-Safety Toe	FT8500-M FT8000-M

FEATURES
- Brown oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14 | **WIDE** 8-12, 13, 14, 15

NEW Ironwood Waterproof 8-Inch Work Boot

Dark Brown/Mossy Oak™	Non-Safety Toe	FT8002-M

FEATURES
- Brown oil tanned leather and abrasion resistant Mossy Oak™ durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14 | **WIDE** 8-12, 13, 14, 15

NEW Ironwood Waterproof 11-Inch Wellington

Brown	Alloy Safety Toe Non-Safety Toe	FT1500-M FT1000-M

FEATURES
- Brown oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound PU midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

NEW Ironwood Waterproof Insulated 8-Inch Work Boot

Dark Brown/Black	Alloy Safety Toe	FT8509-M

FEATURES
- Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU coated Helcor® leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender® waterproof breathable membrane and 400g LiteFire® insulation.
- Revolutionary light and high rebound PU midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

NEW Ironwood Waterproof Insulated 11-Inch Wellington

Dark Brown/Black	Alloy Safety Toe	FT1509-M

FEATURES
- Brown oil tanned leather and black PU coated Helcor® leather.
- Cement constructed with Carhartt rubber Ironwood outsole.
- Storm Defender® waterproof breathable membrane and 400g LiteFire® insulation.
- Revolutionary light and high rebound PU midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

YUKON PAC BOOT

KICK COLD IN ITS FROSTY LITTLE TEETH

1 → 1000 Litefire® Insulation
2 → Storm Defender® waterproof keeps feet dry but lets them breathe
3 → Insulated to keep your feet warm
4 → Foam cushion insole with EVA custom fit removable insert

Waterproof Insulated 10-Inch Pac Boot

Brown	Composite Toe	CMC1259

FEATURES

- Brown oil tanned leather with Black PU coated abrasion resistant leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- Foam cushion insole with TPU arch support and EVA custom fit removable insert.
- TPU heel guard with achilles flex joint.
- Molded rubber toe bumper.
- Storm Defender® waterproof breathable membrane and 1000 LiteFire® insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · LITEFIRE · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · HEEL KICKER · ELECTRICAL HAZARD

MEDIUM/ WIDE 8-12, 13, 14, 15	**MULTI FIT**

RUGGED FLEX® RUBBER OUTSOLE

HEAT, ABRASION, AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

GROUND FORCE BOOTS

WHEN YOU WANT YOUR JOB TO BE THE FOCUS, NOT YOUR FEET

1 → Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot
2 → Storm Defender® waterproof and insulated styles keep your feet warm and dry
3 → FastDry® technology lining wicks away sweat

GROUND FORCE OUTSOLE

DURABLE TRACTION INSIDE OR OUT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE			●
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.

Ground Force Waterproof 6-Inch Work Boot

Brown	Composite Toe	CME6355

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force™ outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender® waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Ground Force Waterproof 6-Inch Work Boot

Black	Composite Toe	CME6351

FEATURES
- Black oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force™ outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender® waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Ground Force Waterproof 8-Inch Work Boot

Brown	Composite Toe	CME8355

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force™ outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender® waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Ground Force Waterproof 6-Inch Work Boot

Brown	Composite Toe Non-Safety Toe	CME6347 CME6047

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force™ outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Abrasion resistant rubber heel.
- Storm Defender® waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

ACCEPTED AMERICAN PODIATRIC MEDICAL ASSOCIATION

STORM DEFENDER · FASTDRY LINING · INSITE FOOTBED · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM	WIDE
8-12, 13, 14	8-12, 13, 14, 15

Ground Force Waterproof Insulated 8-Inch Work Boot

Brown	Composite Toe Non-Safety Toe	CME8347 CME8047

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force™ outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Abrasion resistant rubber heel.
- Storm Defender® waterproof breathable membrane and 600g 3M™ Thinsulate™ insulation.
- Received the APMA Seal of Acceptance.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

ACCEPTED AMERICAN PODIATRIC MEDICAL ASSOCIATION

STORM DEFENDER · FASTDRY LINING · INSULATED · INSITE FOOTBED · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM	WIDE
8-12, 13, 14	8-12, 13, 14, 15

Ground Force Waterproof 10-Inch Pull-On Work Boot

Brown	Composite Toe	CME1355

FEATURES
- Brown oil tanned leather with abrasion resistant Carstrong® durable fabric.
- Cement constructed with Carhartt rubber Ground Force™ outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender® waterproof breathable membrane.
- Received the APMA Seal of Acceptance.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

ACCEPTED AMERICAN PODIATRIC MEDICAL ASSOCIATION

STORM DEFENDER · FASTDRY LINING · INSITE FOOTBED · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM	WIDE
8-12, 13, 14	8-12, 13, 14, 15

RUGGED FLEX® BOOTS

IF YOU CAN'T QUIT, YOUR BOOTS CAN'T EITHER

1 → Storm Defender® waterproof and insulated styles keep your feet warm and dry

2 → FastDry® technology lining wicks away sweat

3 → Cushion comfort foam footbeds for all day comfort

Rugged Flex® 6-Inch Work Boot

Brown	Steel Toe	CMF6284

FEATURES
- Brown leather with Carstrong® durable fabric.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion comfort insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot

Brown	Steel Toe Non-Safety Toe	FF6213-M FF6013-M

FEATURES
- Brown leather with Carstrong® durable fabric.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion comfort insoles.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · STORM DEFENDER · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

RUGGED FLEX® RUBBER OUTSOLE
HEAT, ABRASION, AND SLIP RESISTANT

SHALLOW LUGS
RELEASE MUD AND DIRT

LADDER LOCK GRIPS
PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		○	
CHEMICAL RESISTANCE		○	
ABRASION RESISTANCE			○
HEAT RESISTANCE			○
SLIP RESISTANCE			○

Performance chart is suggested for the intended environment.

Rugged Flex® 6-Inch Work Boot

Brown	Composite Toe Non-Safety Toe	CMF6366 CMF6066

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot

Black	Composite Toe	CMF6371

FEATURES
- Black oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot

Brown	Composite Toe	CMF6380

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof 6-Inch Work Boot

Wheat	Composite Toe Non-Safety Toe	CMF6356 CMF6056

FEATURES
- Wheat nubuck leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · STORM DEFENDER · CUSHION COMFORT INSOLE · RUBBER TOE AND HEEL · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof Insulated 8-Inch Work Boot

Wheat	Non-Safety Toe	CMF8058

FEATURES
- Wheat nubuck leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · STORM DEFENDER · INSULATED · RUBBER TOE AND HEEL · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof Insulated 8-Inch Work Boot

Brown	Composite Toe	CMF8389

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · STORM DEFENDER · INSULATED · RUBBER TOE AND HEEL · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof 10-Inch Pull-On Boot

Brown	Composite Toe	CMF1391

FEATURES
- Brown oil tanned leather, Neoprene shaft and black PU coated leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.
- EVA midsole with PU strobel pad.
- PU with foam cushion insoles.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · STORM DEFENDER · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

MET GUARD WORK BOOTS

PUT SAFETY FIRST WHEN IT COMES TO YOUR FEET

1 → Storm Defender® waterproof keeps feet dry but lets them breathe

2 → Poron® XRD® internal met guard flexes with your foot and instantly "freezes" upon impact providing superior protection

3 → Cushion comfort foam footbeds for all day comfort

PORON® XRD® INTERNAL MET GUARD EXTREME IMPACT PROTECTION

Rugged Flex® Waterproof Internal Met Guard 6-Inch Work Boot

Brown	Composite Toe, MT	CMF6720

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- Storm Defender® waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof Internal Met Guard 8-Inch Work Boot

Brown	Composite Toe, MT	CMF8720

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- Storm Defender® waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Rugged Flex® Waterproof Internal Met Guard 11-Inch Pull-On Work Boot

Brown	Composite Toe, MT	CMF1721

FEATURES
- Brown oil tanned leather with black PU coated leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- Storm Defender® waterproof breathable membrane.
- Reflective high visibility piping.
- Poron® XRD® soft comfort internal metatarsal guard.
- Imported.
- Safety Toe ASTM F2413-18 EH, MT
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

PUNCTURE-RESISTANT WORK BOOTS

TOUGH ENOUGH FOR EVERY TASK WITH UNDERFOOT PROTECTION

1 → Swen-Flex® PR plate is engineered to deliver flexible puncture resistance

2 → Storm Defender® waterproof keeps feet dry but lets them breathe

3 → Insulated styles to keep your feet warm

Ground Force Waterproof Insulated Puncture Resistant 8-Inch Work Boot

Black	Composite Toe Swen-Flex® PR Plate	CMR8959

FEATURES
- Black oil tanned leather.
- Cement constructed with Carhartt rubber Ground Force™ outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 5
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Molded rubber toe bumper with abrasion resistant rubber heel.
- Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- Imported.
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · INSULATED · INSITE FOOTBED · RUBBER OUTSOLE · PUNCTURE RESISTANT · ELECTRICAL HAZARD

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Insulated Puncture Resistant 8-Inch Work Boot

Brown	Composite Toe Swen-Flex® PR Plate	CMR8939

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe bumper.
- PU with foam cushion insoles.
- Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
- Imported.
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · STORM DEFENDER · INSULATED · RUBBER OUTSOLE · PUNCTURE RESISTANT · ELECTRICAL HAZARD

WIDE 8-12, 13, 14, 15

Rugged Flex® Waterproof Puncture Resistant 6-Inch Work Boot

Black	Composite Toe Swen-Flex® PR Plate	CMR6971

FEATURES
- Black oil tanned leather.
- Cement constructed with Carhartt rubber Rugged Flex® outsole.**
  **OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- EVA midsole with PU strobel pad and PU with foam cushion insole.
- Rubber toe and heel bumper.
- Storm Defender® waterproof breathable membrane.
- Imported.
- CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH
- Slip Resistant ASTM F3445-21 SR

RUGGED FLEX · STORM DEFENDER · RUBBER OUTSOLE · PUNCTURE RESISTANT · ELECTRICAL HAZARD

WIDE 8-12, 13, 14, 15

HERITAGE WORK BOOTS

ICONIC BOOTS FOR TIME-HONORED WORK

1 → Storm Defender® waterproof and insulated styles to keep your feet warm and dry
2 → Supportive heel guard stabilizes the foot inside the boot
3 → Cushion comfort foam footbeds for all day comfort

POLYURETHANE OUTSOLES

OIL, CHEMICAL, AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS AND STEEL SHANKS

PERFECT BOOT FOR CLIMBING

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE			●
CHEMICAL RESISTANCE			●
ABRASION RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment. Polyurethane outsoles are not tested for heat resistance.

Waterproof 6-Inch Work Boot

Brown	Steel Toe Non-Safety Toe	CMW6220 CMW6120

FEATURES
- Brown oil tanned leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel guard with achilles flex joint.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 8-Inch Work Boot

Brown	Steel Toe	CMW8200

FEATURES
- Brown oil tanned leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel guard with achilles flex joint.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 11-Inch Wellington

Brown	Steel Toe Non-Safety Toe	CMP1200 CMP1100

FEATURES
- Brown oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel guard with achilles flex joint.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof Insulated 11-Inch Wellington

Brown	Steel Toe	CMP1259

FEATURES
- Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU coated leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel guard with achilles flex joint.
- Storm Defender® waterproof breathable membrane and 400 LiteFire® insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · LITEFIRE · CARHARTT HEEL GUARD · PU OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 11-Inch Wellington

Brown	Steel Toe	CMP1270

FEATURES
- Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and brown PU coated leather.
- Direct attached welt construction with dual density PU Carhartt Heritage outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel guard with achilles flex joint.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · FASTDRY LINING · CARHARTT HEEL GUARD · PU OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

RUGGED FLEX® SQUARE TOE BOOTS

TOES OF STEEL FOR MEN OF METTLE

1 → Storm Defender® waterproof style keeps feet dry but lets them breathe

2 → FastDry® technology lining wicks away sweat

3 → Steel toe with room to move your toes

Square Toe Waterproof 11-Inch Wellington

Brown	Steel Toe	CMP1258

FEATURES
- Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU coated leather.
- Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Square Toe 11-Inch Wellington

Two Tone Brown	Steel Toe	CMP1218

FEATURES
- Two tone brown oil tanned leather.
- Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- PU strobel pad with PU cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

WOODWORKS CLIMBING BOOTS

GAIN THE UPPER HAND WHEREVER YOU SET YOUR FEET

1 → Storm Defender® waterproof keeps feet dry but lets them breathe
2 → Insulated style to keep your feet warm
3 → Cushion comfort foam footbeds for all day comfort

Waterproof 8-Inch Climbing Work Boot

Vintage Saddle	Composite Toe	CML8360

FEATURES
- Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel stabilizer with achilles flex joint.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof Insulated 8-Inch Climbing Work Boot

Vintage Saddle	Composite Toe	CML8369

FEATURES
- Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.
- Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- PU strobel pad with PU cushion insoles.
- TPU heel stabilizer with achilles flex joint.
- Storm Defender® waterproof breathable membrane and 600 LiteFire® insulation.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

OPEN EDGE MUD RELEASE LUGS
FOR TRACTION

LADDER LOCK GRIPS WITH REINFORCED STEEL SHANK
90 DEGREE HEELS ARE PERFECT FOR CLIMBING

CARHARTT WOODWORKS RUBBER OUTSOLE
DURABLE FOR ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

MUDRUNNER BOOTS

ENGINEERED TO STAY DRY AND KEEP YOU STANDING TALL

1 → Full and half sizes for a true fit

2 → Waterproof rubber and neoprene to keep your feet dry and warm

3 → Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot

DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

SHALLOW TREAD

DESIGNED TO RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

CARHARTT INSITE® FOOTBED

- FEELS LIKE A CUSTOM ORTHOTIC
- ENGINEERED FOR COMFORT
- MAXIMUM ARCH SUPPORT

MUDRUNNER VULCANIZED RUBBER BOOTS

Mudrunner Waterproof 10-Inch Rubber Boot

Black	Non-Safety Toe	CMV1121

FEATURES
- Black rubber and neoprene.
- Vulcanized construction with Carhartt rubber compound.
- Supportive Insite® Technology footbed.
- Waterproof neoprene upper.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

Mudrunner Waterproof 15-Inch Rubber Boot

Black	Nano Composite Toe Non-Safety Toe	CMV1451 CMV1151

FEATURES
- Black rubber and neoprene.
- Vulcanized construction with Carhartt rubber compound.
- Supportive Insite® Technology footbed.
- Waterproof neoprene upper.
- Heel Kicker utility ledge for easy-off.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15

OUTSOLE FEATURES AND BENEFITS



CLASSIC WELT BOOTS

TOUGH JOBS CALL FOR TOUGH BOOTS

1 → Storm Defender® waterproof styles keeps feet dry but lets them breathe
2 → FastDry® technology lining wicks away sweat
3 → Cushion comfort foam footbeds for all day comfort

CARHARTT RUBBER OUTSOLE

DURABLE FOR ANYTHING THE WEATHER THROWS AT YOU

LADDER LOCK GRIPS WITH REINFORCED STEEL SHANK

90 DEGREE HEELS ARE PERFECT FOR CLIMBING

OPEN EDGE MUD RELEASE LUGS

FOR TRACTION

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

CLASSIC WELT BOOTS

6-Inch Work Boot		
Brown	Steel Toe Non-Safety Toe	**CMW6274** **CMW6174**

FEATURES
- Brown oil tanned leather.
- Welt construction with Carhartt rubber outsole.
- FastDry® technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Padded collar and comfort tongue.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 6-Inch Work Boot

Brown	Non-Safety Toe	CMW6197

FEATURES
- Brown oil tanned leather.
- Goodyear welt construction with Carhartt rubber outsole.
- FastDry® technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 6-Inch Work Boot

Brown	Non-Safety Toe	CMW6190

FEATURES
- Brown oil tanned leather.
- Goodyear welt construction with Carhartt rubber outsole.
- FastDry® technology lining wicks away sweat.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · FASTDRY LINING · CUSHION COMFORT INSOLE · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 10-Inch Pull-On Boot

Brown	Nano Composite Toe Non-Safety Toe	CMP1453 CMP1053

FEATURES
- Brown oil tanned leather and suede.
- Goodyear welt construction with Carhartt rubber outsole.
- FastDry® technology lining wicks away sweat.
- PU strobel pad with Insite® technology footbed.
- Storm Defender® waterproof breathable membrane.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

STORM DEFENDER · FASTDRY LINING · INSITE FOOTBED · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

WEDGE BOOTS

BUILT FOR WORKING ON YOUR FEET

1 → Storm Defender® waterproof styles keeps feet dry but lets them breathe

2 → FastDry® technology lining wicks away sweat

3 → Cushion comfort foam footbeds for all day comfort

CARHARTT WEDGE OUTSOLE

PROVIDES MAXIMUM SURFACE CONTACT

DUAL DENSITY RUBBER

MAXIMUM DURABILITY AND SLIP RESISTANCE

SHALLOW LUGS

RELEASE MUD AND DIRT

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE		●	
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

Waterproof 8-Inch Moc Toe Wedge Boot

Red Brown	Steel Toe	FW8275-M

FEATURES
- Red Brown oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 8-Inch Moc Toe Wedge Boot

Brown	Non-Safety Toe	FW8095-M

FEATURES
- Brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

NEW Waterproof 8-Inch Moc Toe Wedge Boot

Dark Brown	Non-Safety Toe	FW8093-M

FEATURES
- Brown oil tanned leather.
- Goodyear welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 6-Inch Moc Toe Wedge Boot

Red Brown	Steel Toe Non-Safety Toe	CMW6275 CMW6175

FEATURES
- Red Brown oil tanned leather
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 6-Inch Moc Toe Wedge Boot

Brown	Steel Toe Non-Safety Toe	CMW6295 CMW6095

FEATURES
- Brown oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 7-12, 13, 14	**WIDE** 7-12, 13, 14, 15

Waterproof 6-Inch Moc Toe Wedge Boot

Black	Non-Safety Toe	CMW6191

FEATURES
- Black oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 7-12, 13, 14	**WIDE** 7-12, 13, 14, 15

5-Inch Pull-On Chelsea Wedge Boot

Brown	Steel Toe Non-Safety Toe	FW5233-M FW5033-M

FEATURES
- Brown oil tanned leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with Insite® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

WEDGE BOOT

6-Inch Moc Toe Wedge Boot

Brown	Non-Safety Toe	FW6035-M

FEATURES
- Brown oil tanned leather with brown high abrasion resistant 1200D material.
- Welt construction with dual density Carhartt rubber outsole..
- PU strobel pad with Insite® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

NEW 6-Inch Moc Toe Wedge Boot

Coyote	Non-Safety Toe	FW6077-M

FEATURES
- Coyote nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

NEW 6-Inch Moc Toe Wedge Boot

Dark Brown	Non-Safety Toe	FW6072-M

FEATURES
- Brown nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

6-Inch Moc Toe Wedge Boot

Wheat	Non-Safety Toe	FW6076-M

FEATURES
- Wheat nubuck leather.
- Welt construction with dual density Carhartt rubber outsole.
- PU strobel pad with PU cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Lightweight 4-Inch Wedge Chukka

Brown	Non-Safety Toe	CMX4023

FEATURES
- Brown oil tanned leather.
- Cement constructed with Carhartt rubber outsole and CMEVA midsole.
- PU with foam cushion insoles.
- FastDry® technology lining wicks away sweat.
- Imported.
- Slip Resistant ASTM F3445-21 SR

FASTDRY LINING
CUSHION COMFORT INSOLE
RUBBER OUTSOLE

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		○	
CHEMICAL RESISTANCE		○	
ABRASION RESISTANCE	○		
HEAT RESISTANCE	○		
SLIP RESISTANCE		○	

Performance chart is suggested for the intended environment.

OUTDOOR TRAIL

EXTRA GRIP TO HOLD YOUR GROUND

1 → Storm Defender waterproof keeps feet dry but lets them breathe

2 → Vibram Arctic Grip outsole provides unsurpassed performance with grip and traction in any condition

3 → Revolutionary light and high rebound EVA midsole with Insite® technology footbed

DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.

NEW WATERPROOF INSULATED 6-INCH HIKER BOOT

Red-Brown	Non-Safety Toe	FP6039-M

FEATURES
- Red-brown full grain leather
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender® waterproof breathable membrane and 400g LiteFire® insulation.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH

MEDIUM 8-12, 13, 14

NEW WATERPROOF INSULATED 6-INCH HIKER BOOT

Black	Non-Safety Toe	FP6049-M

FEATURES
- Black full grain leather.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender® waterproof breathable membrane and 400g LiteFire® insulation.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH

MEDIUM 8-12, 13, 14

Waterproof 6-Inch Hiker Boot

Black	Non-Safety Toe	FP5071-M

FEATURES
- Black nubuck leather with black high abrasion resistant 1260D material.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH

MEDIUM 8-12, 13, 14

Waterproof 6-Inch Hiker Boot

Olive	Non-Safety Toe	FP5070-M

FEATURES
- Olive nubuck leather with olive high abrasion resistant 1260D material.
- Cement construction with Vibram Arctic Grip outsole for superior traction in wet and on ice.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH

MEDIUM 8-12, 13, 14

OUTDOOR

BUILT TO KEEP YOU COMFORTABLE

1 → Storm Defender waterproof keeps feet dry but lets them breathe

2 → Alloy safety toe is made from blended metal and aluminum resulting in a thin, lightweight safety toe for strength and protection

3 → Revolutionary light and high rebound EVA midsole with Insite® technology footbed

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE			●
HEAT RESISTANCE		●	
SLIP RESISTANCE		●	

Performance chart is suggested for the intended environment.

NEW Gilmore Waterproof 5-Inch Work Hiker

Dark Brown	Alloy Safety Toe Non-Safety Toe	FH5550-M FH5050-M

FEATURES
- Brown oil tanned leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

NEW Gilmore Waterproof 5-Inch Hiker

Black	Non-Safety Toe	FH5051-M

FEATURES
- Black oil tanned leather.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

NEW Gilmore Waterproof 5-Inch Hiker

Light Brown	Non-Safety Toe	FH5052-M

FEATURES
- Light brown oil nubuck leather.
- Cement construction with Carhartt x rubber lug outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® Technology Footbed
- Heel Kicker utility ledge for easy-off.
- Abrasion resistant toe.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Waterproof 5-Inch Hiker Boot

Brown	Alloy Toe Non-Safety Toe	FH5520-M FH5020-M

FEATURES
- Brown nubuck leather with brown high abrasion resistant 1260D material and padded collar for comfort.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Reflective laces and heel pull-on tab.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM	WIDE
8-12, 13, 14	8-12, 13, 14, 15

Waterproof Low Hiker

Black	Alloy Toe Non-Safety Toe	FH3521-M FH3021-M

FEATURES
- Black nubuck leather with black high abrasion resistant 1260D material and padded collar for comfort.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- Storm Defender® waterproof breathable membrane.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Reflective laces and heel pull-on tab.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM	WIDE
8-12, 13, 14	8-12, 13, 14, 15

Utility 5-Inch Hiker Boot

Black	Non-Safety Toe	FH5031-M

FEATURES
- Black high abrasion resistant 1260D material and padded collar for comfort.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- FastDry® technology lining wicks away sweat.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM	WIDE
8-12, 13, 14	8-12, 13, 14, 15

Utility 5-Inch Hiker Boot

Coyote	Non-Safety Toe	FH5036-M

FEATURES
- Coyote high abrasion resistant 1260D material and padded collar for comfort.
- Cement construction with Carhartt outdoor-ready rubber lug outsole.
- FastDry® technology lining wicks away sweat.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Heel Kicker utility ledge for easy-off.
- Reflective laces and heel pull-on tab.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM	WIDE
8-12, 13, 14	8-12, 13, 14, 15

Lightweight Work Hiker

Black	Steel Toe	CMH4251

FEATURES
- "No sew" black nylon mesh and premium synthetic upper.
- Cement construction with Carhartt rubber outsole and CMEVA midsole.
- PU strobel pad with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Lightweight Work Hiker

Black	Steel Toe	CM03251

FEATURES
- "No sew" black nylon mesh and premium synthetic upper.
- Cement construction with Carhartt rubber outsole and CMEVA midsole.
- PU strobel pad with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		○	
CHEMICAL RESISTANCE		○	
ABRASION RESISTANCE		○	
HEAT RESISTANCE		○	
SLIP RESISTANCE		○	

Performance chart is suggested for the intended environment.

FORCE WORK BOOTS

FEELS LIKE A SNEAKER WORKS LIKE A BOOT

1 → Storm Defender® waterproof styles keeps feet dry but lets them breathe

2 → Nano composite safety toe styles for lightweight protection

3 → Carhartt Insite® Technology footbeds feel like a custom orthotic in your boot

ENVIRONMENT	GOOD	BETTER	BEST
OIL RESISTANCE		●	
CHEMICAL RESISTANCE		●	
ABRASION RESISTANCE		●	
HEAT RESISTANCE		●	
SLIP RESISTANCE			●

Performance chart is suggested for the intended environment.

Force 5-Inch Lightweight Sneaker Boot

Black	Nano Composite Toe Non-Safety Toe	FA5441-M FA5041-M

FEATURES
- Black oil tanned leather and high abrasion resistant 1200D material.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FORCE · FASTDRY LINING · INSITE FOOTBED · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force 5-Inch Lightweight Sneaker Boot

Coyote Brown	Non-Safety Toe	FA5016-M

FEATURES
- Coyote brown suede with coyote high abrasion resistant 1200D material.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FORCE · FASTDRY LINING · INSITE FOOTBED · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force 5-Inch Lightweight Sneaker Boot

Brown	Nano Composite Toe Non-Safety Toe	FA5415-M FA5015-M

FEATURES
- Brown oil tanned leather with brown high abrasion resistant 1200D material.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

FORCE · FASTDRY LINING · INSITE FOOTBED · RUBBER OUTSOLE · ELECTRICAL HAZARD

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force Water Resistant 4-Inch Romeo

Brown	Nano Composite Toe Non-Safety Toe	FA4415-M FA4015-M

FEATURES
- Brown oil tanned leather.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- Rain Defender® water resistant leather.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force Waterproof 6-Inch Work Boot

Black	Nano Composite Toe	CMA6421

FEATURES
- Black abrasion resistant leather and nylon.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force Waterproof 6-Inch Work Boot

Coyote Brown	Non-Safety Toe	CMA6026

FEATURES
- Coyote brown abrasion resistant leather and nylon.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- Storm Defender® waterproof breathable membrane.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force Work Shoe

Black	Nano Composite Toe	FA3471-M

FEATURES
- Black lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 EH
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force SD Work Shoe

Black	Nano Composite Toe	CMD3441

FEATURES
- Black lightweight knit upper with abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 SD 35
- Slip Resistant ASTM F3445-21 SR



MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force SD Work Shoe

Black	Nano Composite Toe	CMD3461

FEATURES
- Black lightweight knit upper with grey lycra stretch collar and abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Safety Toe ASTM F2413-18 SD 35
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15

Force SD Work Shoe

Black	Non-Safety Toe	CMD3060

FEATURES
- Black lightweight knit upper with gold lycra stretch collar and abrasion resistant heel and toe.
- Cement construction with Carhartt rubber Force outsole.
- Revolutionary light and high rebound EVA midsole with Insite® Technology footbed.
- FastDry® technology lining wicks away sweat.
- Imported.
- Soft Toe ASTM F2892-18 SD 35
- Slip Resistant ASTM F3445-21 SR

MEDIUM 8-12, 13, 14	**WIDE** 8-12, 13, 14, 15